

Request for change		No. G-0194E		
Request to	Customer	2022.7.25		
【Subject】 Resin Tank for OIL T-18LP, T-30LP Notification of shape change		LUBE Corporation		
		Product Reliability Assurance Grp		
		Approved	Checked	Created
		久田	飯泉	根岸
<p>Dear Madam &amp; Sir,</p> <p>We are pleased to hear that your company is doing well.            We would like to express our sincere gratitude for your continued support.            Due to recent global affairs and exchange rate trends causing the prices of commodities to rise in our current economic situation, we would like to announce that to maintain the current price and to ensure stable supply we will be changing the shape of our resin tanks.            We would like to inform you the change as follows            Thank you for your understanding and co-operation.</p> <p style="text-align: right;">Sincerely yours</p> <p>1. Content            Shape change of Resin tank for Oil</p> <p>Model: T-18LP, T-30LP</p> <p>Used in following Pump models: AMZ-Ⅲ, AMO-Ⅱ, AMO-ⅢDS, AMR-ⅢDS, AMS, MMXL-Ⅲ, L20, VBP, PM, and so on</p> <p>Mounting compatibility: No change</p> <p>Material: No Change PCTA (Glass Polymers)</p> <p>※The contents of the caution label is printed directly on the tank in Japanese &amp; English format hence we won't be sticking the caution label on the tank.</p> <p>For details regarding the external appearance refer the supporting document.</p> <p>2. Implementation period: Production starting from October 2022 in a sequential process.</p>				

External dimension comparison T-18LP

		New tank	Old tank
External drawing		<p>4-M5X0.8下穴 タッピンネジ 取付用</p> <p>147</p> <p>110</p> <p>97</p> <p>160</p> <p>148</p> <p>Caution Do not over oil "H" level. Use the specified lubricant only. Bottom filter and strainer should be cleaned or replaced once a year. Do not remove the drain when refilling.</p> <p>注意 「H」レベルを超えて注油しないでください。指定の潤滑油のみを使用してください。 底フィルターとストレーナーは年1回清掃または交換してください。注油時にドレンを取り除かないでください。</p> <p>LUBE</p> <p>Refill</p> <p>MADE IN JAPAN</p>	<p>4-M5X0.8下穴 タッピンネジ 取付用</p> <p>147</p> <p>110</p> <p>97</p> <p>160</p> <p>148</p> <p>Caution Do not over oil "H" level. Use the specified lubricant only. Bottom filter and strainer should be cleaned or replaced once a year. Do not remove the drain when refilling.</p> <p>注意 「H」レベルを超えて注油しないでください。指定の潤滑油のみを使用してください。 底フィルターとストレーナーは年1回清掃または交換してください。注油時にドレンを取り除かないでください。</p> <p>LUBE</p> <p>Refill</p> <p>MADE IN JAPAN</p>
	External dimension (W × D × H)	160mm × 110mm × 148mm	
Thickness		2.5mm	3mm
Volume	Total	2050mL	2150mL
	Between Bottom and H	1850mL	1950mL
	Between H-L	1450mL	1530mL
Memory for display		H, L, 200mL/Line	H, L

External dimension comparison T-30LP

		New tank	Old tank
External drawing			
External dimension (W × D × H)		270mm × 130mm × 152mm	
Thickness		2.5mm	3.5mm
Volume	Total	4300mL	4250mL
	Between Bottom and H	3780mL	3740mL
	Between H-L	2820mL	2860mL
Memory for display		H, L, 400mL/Line	H, L, 900mL/Line

Change from sticking caution label on tank to Printing on tank (E.g. AMZIII Pump )



Printing on Tank

Sticking label on tank

※The Printed content will be same for all the pump and will be mentioned in Japanese and English